

### **LISTING OF THE CLAIMS**

This Listing of Claims will replace all prior versions and listings of claims in this application.

Listing of Claims:

Claims 1-15: (Canceled).

16. (Currently Amended) A database system which searches a plurality of tables in distributed databases joined by a relational database, comprising:

one or more databases present on a network;

one or more first servers that search the databases for real data in the plurality of tables;

a second server containing metadata that pertains to the real data stored in the one or more databases;

table extraction means for extracting ~~one table including~~ columns from one table of the plurality of tables that store data to be retrieved from ~~a~~ the plurality of tables;

column exclusion means for excluding columns ~~on other~~ from other tables of the plurality of tables which store the same data to be retrieved ~~on the table extracted~~ by said table extraction means from columns to be extracted in subsequent processing; and

table joining means for creating a virtual table by joining the columns that store data ~~to be retrieved of the tables extracted in turn~~ by said table extraction means without being excluded by said column exclusion means, when the processing of said table extraction means and the processing of said column exclusion means have been repeated until all the columns including data to be retrieved are analyzed; and

wherein even when the one or more databases and first servers that manage these

databases are present on the network, all metadata that match a retrieval request can be extracted by a search of the second server.

17. (Original) A system according to claim 16, wherein said table extraction means extracts one table including a largest number of columns which store data to be retrieved from the plurality of tables.

18. (Original) A system according to claim 16, further comprising metadata management means for collecting and managing metadata which pertain to joining of the plurality of tables, and wherein said table extraction means extracts the table on the basis of the metadata stored in said metadata management means.

19. (Previously presented) A system according to claim 16, further comprising retrieval means for retrieving objects in accordance with a retrieval key, and wherein data is retrieved from the virtual table created by joining the tables which are extracted in turn and joined by said table extraction means.

20. (Currently Amended) A method of data retrieval from a database system of one or more databases and first servers, comprising:

repeating processing that extracts a table and excludes columns that include identical data from a previous search;

creating a virtual table by joining columns that store data to be retrieved of a plurality of tables using a relational database in such a manner that one table including columns that store data to be retrieved is extracted from the plurality of tables in one or more databases, columns on other tables which store the same data contents as data contents of columns on the extracted table are excluded, and another table is extracted from the remaining tables; and

joining one or more tables of the one or more databases extracted in turn,

wherein even when the one or more databases and first servers that manage these

databases are present on the network, all metadata that match a retrieval request can be extracted by a search of a second server.

21. (Original) A method according to claim 20, wherein upon extracting one table from the plurality of tables, one table including a largest number of columns that store data to be retrieved is extracted.

22. (Currently Amended) A method according to claim 20, wherein data is retrieved from the virtual table created by joining the plurality of tables.

23. (Currently Amended) A computer-readable recording medium recording a program for making a computer implement the functions of:

extracting one table including a largest number of columns that store data to be retrieved from a plurality of tables in one or more databases present on a network upon search by joining a plurality of tables by a relational database;

excluding columns on other tables which store the same data contents as data contents of the columns on the extracted table from columns to be extracted in subsequent processing; and

creating a virtual table by joining the tables extracted in turn without being excluded by said excluding columns said two processing of extracting and excluding have been repeated until all the columns including data to be retrieved are analyzed.

wherein even when the one or more databases and first servers that manage these databases are present on the network, all metadata that match a retrieval request can be extracted by a search of a second server.

24. (Previously presented) A medium according to claim 23, wherein said program makes the computer further implement the function of retrieving objects in accordance with a retrieval key from the virtual table created from the tables extracted and joined by said table extraction means.

25. (Currently Amended) A database system of one or more databases, comprising:

means for extracting columnar data from ~~plural distributed~~ the one or more databases;

means for creating a virtual table by analyzing and joining specified columnar data from ~~the plural distributed~~ one or more databases; and

means for excluding any duplicative columnar data in the plural distributed databases from the virtual table,

wherein even when the one or more databases and first servers that manage these databases are present, all metadata that match a retrieval request can be extracted by a search of a second server.

26. (Previously presented) The database system of claim 25, wherein the means for extracting functions until all columnar data in the plural distributed databases has been analyzed.

27. (Currently Amended) A method of searching a plurality of tables in one or more databases joined by a relational database, the method comprising:

extracting a first table including columns that store data to be retrieved from the plurality of tables;

extracting a second table including columns that also store data to be retrieved from the plurality of tables;

extracting a third table including columns that also store data to be retrieved from the plurality of tables;

creating a virtual table by joining columns of the first, second, and third extracted tables;

excluding, from the created virtual table, columns of the second extracted table which duplicates data contents of the first extracted table;

excluding, from the created virtual table, columns of the third extracted table which duplicates data contents of either the first or the second extracted table; and

searching the virtual table for desired data,

wherein even when the one or more databases and first servers that manage these databases are present on the network, all metadata that match a retrieval request can be extracted by a search of the second server.